

GRACE

Fluted cast iron column radiators with linear moulding and inclined feet. Staggered spacing between columns adds extra interest. A timeless classic.



Grace 2 Column

Available in 4 heights

89mm deep

Slimline, perfect for hallways

Grace 4 Column

Available in 5 heights

175mm deep

Wide range of heights for any space

Grace 6 Column

Available in 3 heights

250mm deep

High heat output, ideal for large rooms



Available in all 52 Castrads exclusive finishes as well as Farrow & Ball® and Little Greene® paints. Lead times from 7-10 working days.

GRACE 2 COLUMN the detail



GRACE 2 COLUMN

			Dimensions			Section	Section
Model	S_{Max}	Output	Height	Depth	Length	weight	volume
Grace 2 Column 480mm	18	47 Watts	480mm	89mm	60mm	2.6kg	0.4 L
Grace 2 Column 640mm	18	62 Watts	640mm	89mm	60mm	3.2kg	1.0 L
Grace 2 Column 740mm	18	70 Watts	740mm	89mm	60mm	3.7kg	0.6 L
Grace 2 Column 1040mm	18	99 Watts	1040mm	89mm	60mm	5.1kg	0.8 L







These models may also be wall mounted. Speak to us about wall-hanging options. \dagger Outputs per section at Δ T50. Height includes legs. Length is per section. S_{Max} - Maximum size for delivery in one piece. Available up to 40 sections with partial home assembly.

Above left: Grace 2 Column 1040mm in Charcoal. Top right: Grace 2 Column in Grey Bronze. Bottom right: Grace 2 Column in Mid Grey Sparkle.

GRACE 4&6 COLUMN

			Dimensions			Section	Section
Model	$S_{_{Max}}$	Output	Height	Depth	Length	weight	volume
Grace 4 Column 360mm	18	43 Watts	357mm	175mm	61mm	3.3kg	0.4 L
Grace 4 Column 480mm	18	64 Watts	475mm	175mm	61mm	4.3kg	0.5 L
Grace 4 Column 660mm	18	87 Watts	660mm	175mm	61mm	5.4kg	0.9 L
Grace 4 Column 760mm	16	101 Watts	760mm	174mm	61mm	6.1kg	1.4 L
Grace 4 Column 960mm	14	125 Watts	960mm	175mm	61mm	7.5kg	1.6 L
Grace 6 Column 485mm	16	95 Watts	485mm	254mm	61mm	6.1kg	0.9 L
Grace 6 Column 660mm	12	127 Watts	660mm	252mm	61mm	8.5kg	1.2 L
Grace 6 Column 760mm	10	148 Watts	760mm	254mm	60mm	9.5kg	1.4 L
Grace 6 Column 960mm	8	184 Watts	960mm	250mm	61mm	12.6kg	1.6 L







 $[\]dagger$ Outputs per section at Δ T50. Height includes legs. Length is per section. $S_{\mbox{\tiny Max}}$ - Maximum size for delivery in one piece. Available up to 40 sections with partial home assembly.